


Types of Containers.-



CONTAINER

Standard.-



20' Standard - General Information

Capacity: 33,2cbm

ISO Type Group: 22 GP

ISO Size Type: 22 G1

Inside dimension

Length	Width	Height
5.900mm	2.352mm	2.395mm

Door opening

Width	Height
2.340mm	2.292mm

Weight

Max Gross	Tare	Max Payload
30.480kg	2.350kg	28.130kg

40' Standard - General Information

Capacity: 67,7cbm

ISO Type Group: 42 GP

ISO Size Type: 42 G1

Inside dimension

Length	Width	Height
12.032mm	2.352mm	2.395mm

Door opening

Width	Height
2.340mm	2.292mm

Weight

Max Gross	Tare	Max Payload
32.500kg	3.750kg	28.750kg

40' Standard High Cube - General Information

Capacity: 76,3cbm

ISO Type Group: 45 GP

ISO Size Type: 45 G1

Inside dimension

Length	Width	Height
12.032mm	2.350mm	2.700mm

Door opening

Width	Height
2.340mm	2.597mm

Weight

Max Gross	Tare	Max Payload
32.500kg	3.900kg	28.600kg

45' Standard - General Information

Capacity: 86cbm

ISO Type Group: L5GP

ISO Size Type: L5G1

Inside dimension

Length	Width	Height
13.556mm	2.352mm	2.700mm

Door opening

Width	Height
2.340mm	2.597mm

Weight

Max Gross	Tare	Max Payload
32.500kg	4.800kg	27.700kg

CONTAINER

Open Top.-



20' Open Top - General Information

Capacity: 32,5cbm

ISO Type Group: 22 UT

ISO Size Type: 22 U1

Inside dimension

Length	Roof L.	Width	Height
5.895mm	5.338mm	2.350mm	2.340mm

Door opening

Width	Height
2.338mm	2.292mm

Weight

Max Gross	Tare	Max Payload
32.500kg	2.450kg	30.050kg

40' Open Top- General Information

Capacity: 66,8cbm

ISO Type Group: 42 UT

ISO Size Type: 42 U1

Inside dimension

Length	Roof L.	Width	Height
12.029mm	1.552mm	2.350mm	2.380mm

Door opening

Width	Height
2.340mm	2.276mm

Weight

Max Gross	Tare	Max Payload
32.500kg	4.050kg	28.450kg

40' Open Top High Cube - General Information

Capacity: 74,9cbm

ISO Type Group: 45 UT

ISO Size Type: 45 U1

Inside dimension

Length	Roof L.	Width	Height
12.029mm	11.552mm	2.352mm	2.683mm

Door opening

Width	Height
2.352mm	2.649mm

Weight

Max Gross	Tare	Max Payload
32.500kg	4.250kg	28.250kg

CONTAINER

Flatrack.-



20' Flatrack - General Information

Capacity: 22 PC

ISO Type Group: 22 P3

Inside dimension

Length Floor	Length min.	Width Floor	Width min.	Height	Height Floor
6.038mm	5.638mm	2.438mm	2.194mm	2.233mm	370mm

Weight

Max Gross	Tare	Max Payload
45.000kg	2.900kg	42.100kg

40' Flatrack High Cube- General Information

Capacity: 45 PC

ISO Type Group: 45 P3

Inside dimension

Length Floor	Length min.	Width Floor	Width min.	Height	Height Floor
12.048mm	11.652mm	2.347mm	2.245mm	2.265mm	648mm

Weight

Max Gross	Tare	Max Payload
55.000kg	5.900kg	49.100kg

CONTAINER

Reefer.-



20' Reefer - General Information

Capacity: 28,1cbm

ISO Type Group: 22 RT

ISO Size Type: 22 R1

Inside dimension

Length	Width	Height
5.450mm	2.280mm	2.159mm

Door opening

Width	Height
2.290mm	2.264mm

Weight

Max Gross	Tare	Max Payload
32.000kg	2.860kg	29.140kg

40' Reefer - General Information

Capacity: 67,7cbm

ISO Type Group: 45 RT

ISO Size Type: 45 R1

Inside dimension

Length	Width	Height
11.599mm	2.290mm	2.425mm

Door opening

Width	Height
2.290mm	2.557mm

Weight

Max Gross	Tare	Max Payload
34.000kg	4.420kg	29.580kg